

Protocols

	<u>Page</u>
Horizontal Page Protocol	
1. Assemble the gel mould	1
2. Pre-treatment of glass plates	1
3. Prepare the gel mix	2
4. Pour the gel	2
5. Run the gel	2
6. Stain and photograph	3
7. The 'KT Polyacrylamide Gel Staining System'	3
Agarose Gel Protocol	
1. Preparation of the agarose gel solution	4
2. Pouring the gel	4
3. Loading and running the gel	5
Gel Photography Protocol	6
Notes on Ethidium Bromide Disposal	7
Page for Own Gel Notes	8
Use of Whatman FTA Technology	
1. Kirkhouse Trust policy on economical use of FTA	9
2. Storage of FTA cards	9
Whatman FTA Protocols	
1. Sample collection by direct leaf process	10
2. Sample collection of plant homogenate	11
3. Removing a sample disc from an FTA card for analysis	12

Protocols (Continued)

	<u>Page</u>
Whatman FTA Protocols (Continued)	
4. Cleaning the corer tip	12
5. Preparing the FTA for DNA analysis	12
6. Modified protocol for enhanced sample washing	13
7. PCR of washed punch	13
Buffers and Solutions Protocols	14
PCR Protocols	15

Equipment: Instructions & Care

Denver pH Meter	
1. Standardising the Denver pH meter	16
2. Care of pH meter electrode	16
Sigma 1-14 Microcentrifuge	17
Denver 2-place Balance	18
Single channel and 8-channel pipettors	
1. Rules for correct pipetting	19
2. Care of pipette	19
Equipment to use with the Surge Protector	20
Dell Latitude E5500 Laptop	21
Labtop Bench Cooler	22
Reference Books	23
Standard Units, Prefixes and Usage	24